Correlation of the Phospholipid-Related Signatures in ³¹P and ¹H Spectra: An Approach to Increase the Sensitivity of the Prediction of Therapeutic Outcome in non-Hodgkin's Lymphoma by *In Vivo* MRS

F. Arias-Mendoza¹, F. Howe², M. Stubbs³, S-C. Lee⁴, G. S. Payne⁵, K. Zakian⁶, H. Mojahed¹, H. Poptani⁴, M. McLean³, A. Shukla-Dave⁶, N. R. Maisey⁵, O. A. O'Connor^{7,8}, R. Pettengell⁹, S. J. Schuster⁴, D. Cunningham¹⁰, J. R. Griffiths³, J. D. Glickson⁴, M. O. Leach⁵, J. A. Koutcher⁶, A. Heerschap¹¹, and T. R. Brown¹

¹Radiology, Columbia University, New York, NY, United States, ²Radiology, St. George's Hospital, London, United Kingdom, ³Radiology, Cambridge University, Cambridge, United Kingdom, ⁴Radiology, University of Pennsylvania, Philadelphia, PA, United States, ⁵Radiology, Institute of Cancer Research, London, United Kingdom, ⁶Radiology, Memorial Sloan Kettering Cancer Center, New York, NY, United States, ⁷Medical Oncology, Columbia University, New York, NY, United States, ⁸Medical Oncology, New York University, New York, NY, United States, ⁹Medical Oncology, St. George's Hospital, London, United Kingdom, ¹⁰Medical Oncology, Institute of Cancer Research, London, United Kingdom, ¹¹Radiology, Radboud University Nijmegen Medical Center, Nijmegen, Netherlands


Our previous cooperative work using ³¹P MRS to study non-Hodgkin's lymphoma (NHL) patients prior to the start of standard treatment has indicated that the sum of the phospholipid-related intermediates, phosphoethanolamine plus phosphocholine normalized to nucleoside triphosphates (PME/NTP) can successfully predict both the long-term response to treatment and the drug-free survival. However, our cooperative results have been hindered by the inherent lack of sensitivity of ³¹P MRS. Our previous work, which was carried at 1.5 T, was unable to study tumors below 15 milliliters of nominal volume (i.e., a cubic voxel of 25 millimeters per side) which raise two issues with regard to our results. First, a data selection bias might prevent our results from being generalized to the rest of the population if smaller tumors behave differently than larger ones. Second, the significant group of patients with smaller tumors that could not be studied under our protocol limits the clinical application of the technique.

The aim of our present work is to increase the sensitivity of our measurements and concomitantly increase the sensitivity of the prediction of therapeutic outcome in NHL patients. Our initial approach was to include ¹H MRS, which increases overall spectral acquisition time by only ten minutes. The rationale for this has been fourfold: the increased sensitivity of the MR determination of ¹H in comparison to ³¹P, the more widely available ¹H measurement technology, the reported total choline (tCho) increase in ¹H MRS of several tumors that could serve as a marker of treatment response, and the fact that our ³¹P MRS includes in the determination phosphocholine which is part of the tCho signal in ¹H MRS.

We report here our initial results correlating the pretreatment PME/NTP ratio determined by *in vivo* ³¹P MRS, which we have shown predicts therapeutic outcome in NHL, with the tCho-to-water (tCho/H₂O) ratio determined by ¹H MRS.

Procedures & Patients, This work has been approved by the offices in charge of overseeing humans as subjects of research at each institution. Three dimensionally-localized, ¹H-decoupled, nuclear Overhauser enhanced, ³¹P MRS using the chemical shift imaging (CSI) algorithm and a water-suppressed/not-water-suppressed pair of PRESS single voxel ¹H MR spectra using a TE of 135 ms were acquired *in vivo* in the tumors of eight NHL patients prior to start treatment, and the PME/NTP and tCho/H₂O ratios determined from the ³¹P and ¹H tumor spectra respectively.

Results, The correlation of the PME/NTP vs. the tCho/H₂O ratios determined on each of the NHL patients prior to receive treatment is shown in the Figure. The correlation showed a statistically significant linear regression (y = 0.16x - 0.77, r^2 = 0.7, p < 0.005).



Discussion, We have previously reported that a lower pretreatment tumor value of the PME/NTP ratio predicts complete long-term response to cancer treatment in NHL patients, mainly in diffuse large B-cell and follicular lymphomas under anthracyclinebased combination chemotherapy. The PME/NTP cutoff found to differentiate between complete responses and all the other treatment responses was set at 1.9. Using this PME/NTP cutoff, the regression analysis shown in the Figure predicted that the cutoff for tCho/H₂O would be 16.7. This correlation suggests that prediction of treatment outcome may also be possible using the tCho/H₂O ratio determined by ¹H MRS. This will enable us to study tumors with volumes as small as 1 milliliter, based on the increased sensitivity of the MR observations of ¹H in comparison to those of ³¹P. In addition the simultaneous determination of *in vivo* ³¹P and ¹H MRS could provide additional information to carry out a more adequate evaluation of the NHL patient undergoing treatment.

Acknowledgement, This work has been supported by NIH grants CA41078, CA62554 through CA62561, and CA118559

Reference, 1. Arias-Mendoza F, Payne GS, Zakian KL, et al: Pretreatment Phosphorus Magnetic Resonance Spectroscopy of non-Hodgkin's Lymphoma: improving the predictive value of the International Prognostic Index to therapeutic response. submitted to the Clin Cancer Res, 2009.