
MR Imaging of the Forefoot: Pearls for 2011

Lynne S. Steinbach, M.D.

Professor of Radiology and Orthopaedic Surgery

Department of Radiology
University of California San Francisco



Which Lisfranc ligament is the strongest?


- Dorsal
- 2. Interosseous
- 3. Plantar
- 4. Intermetatarsal



Case 2

What ossicle is depicted?

- 1. Os peroneum
- 2. Os intermetatarsum
- 3. Os trigonum
- 4. Os tibiale externa



Which tendon runs through the os peroneum?


- Posterior tibial
- 2. Peroneus brevis
- 3. Peroneus longus
- 4. Flexor hallucis longus



Case 4


Which of the following is not a risk factor for sesamoiditis?

- 1. High heeled shoes
- 2. Dancing
- 3. Pes cavus
- 4. Pes planus



What is the name of this abnormality?


- Mueller-Weiss syndrome
- 2. Koehler's disease
- 3. Osteochondritis
- 4. Freiberg's Infraction



Proc. Intl. SMMag. Reson. Med. 19 (2011)


Which one of the following statements about Morton's neuroma is false?

- 1. Low SI on T1 and T2 weighting
- 2. Enhances with gad
- 3. Represents a true neuroma
- 4. Most common between the 3rd and 4th metatarsals
- Best imaged in the prone position



The symptomatic intermetatarsal bursa is usually greater than

- 1. 2 mm
- 2. 3 mm
- 3. 4 mm
- 4. 5 mm



Proc. Intl. Mag. Reson. M


Which of the following statements about turf toe is false?

- Caused by hyperflexion of 1st MTP
- 2. Cleats are associated with an increased incidence
- 3. It involves the plantar plate
- 4. Pes planus is associated



The least common location for osteomyelitis is

- 1. Midfoot
- 2. Toes
- 3. Metatarsal heads
- 4. Calcaneus
- 5. Malleoli



Case 10

What is this entity?

- 1. Muscle denervation
- 2. Synovial sarcoma
- 3. Plantar fibromatosis
- 4. Gout

