T1ρ relaxation of the liver; a new biochemical marker of liver function in patients with diffuse liver disease

Yukihisa Takayama¹, Akihiro Nishie², Yoshiki Asayama², Yasuhiro Ushijima², Nobuhiro Fujita², Koichiro Morita², Takashi Yoshiura², Tomoyuki Okuaki³, Makoto Obara³, and Hiroshi Honda²

¹Department of Molecular Imaging and Diagnosis, Graduate School of Medical Sciences, Kyushu University, Fukuoka, Japan, ²Department of Clinical Radiology,

Graduate School of Medical Sciences, Kyushu University, Fukuoka, Japan, ³Philips Electronics Japan, Tokyo, Japan

Target Audience: Researchers and clinicians interested in body/liver imaging and disease **Introduction**

T1p mapping is one of the quantitative imaging techniques to assess biochemical properties of tissues, such as brain, articular cartilage and liver [1-3]. It has been reported that T1p values of the liver parenchyma is prolonged relating to the severity of liver damage using animal models [3,4]. However, it is unclear for radiologists or hepatologists whether T1p mapping of the liver is feasible in clinical practice. In this study, we investigated the clinical utility of T1p mapping for the assessment of liver function in patients with metastatic liver tumor or chronic liver diseases (CLD), such as chronic viral hepatitis, alcoholic liver damage, and nonalcoholic steatosis hepatitis.

Materials and Methods

Fifty-three patients with metastatic liver tumor or CLD (mean = 65.2 years, age range = 35-86 years, M:F = 35:18) were scanned on a 3 Tesla MR system (Achieva TX, 3.0T,Philips Healthcare, Best, The Netherland) using an 32-channel torso-cardiac phased-array coil. 2D-axial T1p mapping was calculated from T1p-prepared images using the fast field echo technique. The imaging parameters were as follows: TR/TE = 4.7/2.4 ms, FOV = 360×360 mm, matrix = 256×256 , slice thickness = 3 mm, time of spin lock (TSL) = 1/20/40/60 ms, spin-lock pulse frequency = 500 Hz, number of slices = 3.71p map was generated on a pixel-by-pixel basis using mono-exponential decay model: $S_{TSL} = S_0^* \exp(-TSL/T1p)$, where S_{TSL} is the signal intensity in T1p- prepared images with a certain TSL, and S_0 is that with TSL = 0.71p values of the liver parenchyma were calculated after regions of interest (ROIs) were drawn on maps by one radiologist. Patients' blood serum parameters, such as serum total protein level (TP), serum albumin levels (Alb), serum total bilirubin level (TB), serum direct bilirubin level (DB), aspartate aminotransferase (AST), alanine aminotransferase (ALT), alkaline phosphatase (ALP), γ -glutamyl transpeptidase (γ -GTP) and prothrombin activity (PT% and PT-INR), were recorded not more than 1 week before or after MR imaging. The indocyanine green clearance tests (ICGs) were also performed using 0.5 mg/kg body

weight Diagnogreen (Daiichi Pharmaceutical Co., Tokyo, Japan). Blood samples were collected before and 15 min after administration and retention rates at 15 min after injection (ICG-R15s) were measured (normal range, <15%). Pearson's correlation coefficients (r = simple correlation) were calculated between T1p value of the liver parenchyma and the blood serum parameters, including ICG-R15s. A p < 0.05 was considered significant.

Results

Table 1 shows the results of Pearson's correlation coefficients between T1p value of the liver parenchyma and the blood serum parameters. T1p value showed significant positive correlations with TB, DB and ICG-R15, and significant negative correlations with Alb and γ GTP. T1p values of the liver parenchyma were prolonged relating to the increase of ICG-R15 which indicates a worsening of liver function (Fig. 1).

Discussion and Conclusion

The present study showed that T1p values of liver parenchyma are significantly correlated with the blood serum parameters reflecting liver function. T1p mapping is sensitive to changes in macromolecular concentration, suggesting it may serve as a biomarker for biologic processes associated with alterations in macromolecular content [5]. In CLD, the change of T1p value of the liver parenchyma may be related to cholestasis, cellular injury, and inflammation in the liver [5]. T1p mapping has a possibility as a new biochemical marker for the assessment of liver function in patients with CLD.

References

- [1] Haris M. et al J Magn Reson Imaging 2009:29;1008-12
- [2] Takayama Y. et al. Eur J Radiol 2013:82;e192-8
- [3] Wang Y.X. et al. Radiology 2011:259;712-9
- [4] Zhao F. et al. Eur Radiol 2012;22;1709-16
- [5] Sirlin CB. Radiology 2011:259;619-620.

Table 1. Results of Pearson's Correlation Coefficient between T1p value of the liver parenchyma and blood serum parameters

TP	-0.099	ALT	-0.035	Glu	-0.154
Alb	-0.394**	ALP	0.144	PT-INR	0.163
ТВ	0.376**	γGTP	-0.290 [*]	Plt	-0.009
DB	0.442**	Tcho	-0.070	ICG-R15	0.444**
AST	0.262	TG	-0.121		

** p<0.01, * p<0.05




Figure 1. Example T1p maps of the liver and the scatter graph. T1p values of the liver parenchyma shows significant positive correlation with ICG-R15 (lower right). On T1p maps, T1p values of the liver parenchyma were prolonged with increasing ICG-R15 which indicates a worsening of liver function.