

Treatment of Uterine Fibroids with MR-Guided HIFU

Pejman Ghanouni, M.D., Ph.D.
Assistant Professor of Radiology
Stanford University

Objectives

1. Principles and methods
2. Keys to patient selection
3. Illustrative cases
4. Treatment outcomes

Outline

1. Principles and methods
 - Targeting
 - Thermometry
 - Treatment verification
2. Keys to patient selection
 - MRI features that impact treatment outcome
3. Illustrative cases
 - Classification of fibroids
 - Safety steps during treatment
4. Treatment outcomes
 - Reintervention rate compared to other therapies

References

1. Tempany, C. M. C., Stewart, E. A., McDannold, N., Quade, B. J., Jolesz, F. A., & Hynynen, K. (2003). MR Imaging-guided Focused Ultrasound Surgery of Uterine Leiomyomas: A Feasibility Study. *Radiology*, *226*(3), 897–905.
2. Hindley, J., Gedroyc, W. M., Regan, L., Stewart, E., Tempany, C., Hynynen, K., et al. (2004). MRI guidance of focused ultrasound therapy of uterine fibroids: early results. *AJR. American Journal of Roentgenology*, *183*(6), 1713–1719.
3. Stewart, E. A., Rabinovici, J., Tempany, C. M. C., Inbar, Y., Regan, L., Gostout, B., et al. (2006). Clinical outcomes of focused ultrasound surgery for the treatment of uterine fibroids. *Fertility and Sterility*, *85*(1), 22–29.
4. McDannold, N., Tempany, C. M., Fennessy, F. M., So, M. J., Rybicki, F. J., Stewart, E. A., et al. (2006). Uterine leiomyomas: MR imaging-based thermometry and thermal dosimetry during focused ultrasound thermal ablation. *Radiology*, *240*(1), 263–272.
5. Stewart, E. A., Gostout, B., Rabinovici, J., Kim, H. S., Regan, L., & Tempany, C. M. C. (2007). Sustained relief of leiomyoma symptoms by using focused ultrasound surgery. *Obstetrics and Gynecology*, *110*(2 Pt 1), 279–287.
6. Lénárd, Z. M., McDannold, N. J., Fennessy, F. M., Stewart, E. A., Jolesz, F. A., Hynynen, K., & Tempany, C. M. C. (2008). Uterine leiomyomas: MR imaging-guided focused ultrasound surgery—imaging predictors of success. *Radiology*, *249*(1), 187–194.
7. Taran, F. A., Tempany, C. M. C., Regan, L., Inbar, Y., Revel, A., Stewart, E. A., MRgFUS Group. (2009). Magnetic resonance-guided focused ultrasound (MRgFUS) compared with abdominal hysterectomy for treatment of uterine leiomyomas. *Ultrasound in Obstetrics and Gynecology*, *34*(5), 572–578.
8. Okada, A., Morita, Y., Fukunishi, H., Takeichi, K., & Murakami, T. (2009). Non-invasive magnetic resonance-guided focused ultrasound treatment of uterine fibroids in a large Japanese population: impact of the learning curve on patient outcome. *Ultrasound in Obstetrics and Gynecology*, *34*(5), 579–583.
9. Zaher, S., Gedroyc, W. M., & Regan, L. (2009). Patient suitability for magnetic resonance guided focused ultrasound surgery of uterine fibroids. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, *143*(2), 98–102.
10. Kim, H. S., Baik, J.-H., Pham, L. D., & Jacobs, M. A. (2011). MR-guided high-intensity focused ultrasound treatment for symptomatic uterine leiomyomata: long-term outcomes. *Academic Radiology*, *18*(8), 970–976.